



集团微信订阅号

集团微信服务号



210800144022

检测报告

No. ADE2010200005L

委托单位

安达市源鑫水务有限责任公司

受测单位

安达市源鑫水务有限责任公司

报告日期

2024 年 03 月 21 日



PONY 谱尼测试

Pony Testing International Group

www.ponytest.com



查询密码:Vk7rCWwsxt

声明 Statement

1. 本报告无检验检测专用章、报告骑缝章和批准人签章无效。
This report is invalid without special seal for inspection and test, cross-page seal and signature of the approver.
2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标, 其受《中华人民共和国商标法》保护, 任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为, 本单位将依法追究其法律责任。
The words "PONY" and "谱尼" used in this report page are the registered trademarks of the company, which are protected by the Trademark Law of the People's Republic of China. Any unauthorized use, counterfeiting, forging or altering of the trademarks of "PONY" and "谱尼" without the authorization of the company is an illegal infringement, and the company will investigate their legal liabilities according to law.
3. 委托单位对报告数据如有异议, 请于报告完成之日起十五日内(初级农产品报告请于报告收到之日起五日内)向本单位书面提出复测申请, 同时附上报告原件并预付复测费。
If the applicant has any objection to the report data, please submit a written application for retesting to PONY within 15 days after the completion of the report (for the report of primary agricultural products, submit a written application for retesting to the unit within 5 days after the receipt of the report), with the original report attached and the retesting fee prepaid.
4. 委托单位办理完毕以上手续后, 本单位会尽快安排复测。如果复测结果与异议内容相符, 本单位将退还委托单位的复测费。
After the applicant completes the above procedures, PONY shall arrange the retesting as soon as possible. If the retest result is consistent with the objection, PONY will refund the retest fees.
5. 不可重复性或不能进行复测的实验, 不进行复测, 委托单位放弃异议权利。
If the experiment cannot be repeated or cannot be retested, no retest shall be conducted, and the applicant shall waive the right of objection.
6. 委托单位对送检样品的代表性和资料的真实性负责, 否则本单位不承担任何相关责任。
The applicant is responsible for the representativeness of the commissioned samples and the authenticity of the documents, otherwise PONY does not assume any relevant responsibilities.
7. 本报告仅对所测样品的检测结果负责, 检测结果及其相关判定结论仅反映对所测样品的评价或只代表检测时污染物的排放状况。对于报告及所载内容不能进行商业广告宣传使用, 使用所产生的直接或间接损失及一切法律后果, 本单位不承担任何经济和法律后果。
This report is only responsible for the test results of the tested samples. The test results and relevant conclusions reflect the evaluation of the tested samples or only represent the emission status of pollutants during the test. The report and the contents contained in it cannot be used for commercial advertising, and PONY does not assume any economic and legal liabilities for direct or indirect losses and all legal consequences arising from the use.
8. 本单位有权在完成报告后按规定方式处理所测样品, 除客户特别声明并支付样品管理费, 所有超过标准规定时效期的样品均不再做留样。
PONY has the right to dispose the tested sample after approval of the test report. Unless the applicant specifically declares and pays the sample management fee, all samples beyond the validity period specified in the standard will not be retained.
9. 本单位保证工作的客观公正性, 对委托单位的商业信息、技术文件等商业秘密履行保密义务。
PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.
10. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效, 本单位将对上述行为追究其相应的法律责任。
Any unauthorized transfer, appropriation, falsification, alteration, copying (except full text copying) or alteration in any other form of this report without the approval of PONY shall be invalid. PONY shall strictly investigate the corresponding legal liability for the aforesaid behavior.

▲防伪说明(Anti-counterfeiting Instructions):

1. 报告编号是唯一的;
The report number is unique.
2. 扫描报告首页下方二维码, 即可查询报告真伪。
Scan the QR code below the first page to check the authenticity of the report.



全国服务热线

400-819-5688

WWW.PONYTEST.COM



集团微信订阅号



集团微信服务号

北京实验室: (010)83055000	郑州实验室: (0371)69350670	贵州鼎盛鑫检测有限公司: (0851)84133211	武汉化学实验室: (027)83997137
北京谱尼科技公司: (010)80415661	新疆实验室: (0991)6684186	上海实验室: (021)64851999	湖北中佳合成制药公司: (0728)5335384
北京谱尼计量实验室: (010)82492998	石家庄实验室: (0311)85376660	上海谱尼生物医药实验室: (021)34189000-6515	谱尼丰附所检测技术有限公司: (027)82318175
青岛实验室: (0532)88706866	西安实验室: (029)89608785	上海谱尼新能源实验室: (021)57877071	杭州实验室: (0571)87219096
天津实验室: (022)23607888	西安创尼信息科技有限公司: (029)81123093	上海谱尼计量实验室: (021)67601281	合肥实验室: (0551)63843474
长春实验室: (0431)80530198	西安壹德威克辐射技术公司: (029)85729073	江苏苏州实验室/苏州谱尼计 量实验室: (0512)62997900	广东深圳实验室/深圳谱尼计 量实验室: (0755)26050909
吉林铁岭校准检测实验室: (0431)80530190	呼和浩特实验室: (0471)3450025	苏州汽车座椅实验室及儿童安全座 椅碰撞实验室: (0512)62997900	谱尼深圳通测实验室: (0755)27673339
沈阳实验室: (024)22811886	成都实验室: (028)87702708		南宁实验室: (0771)5518818
大连实验室: (0411)87336618	成都谱尼计量实验室: (028)87702708		厦门实验室: (0592)5568048
哈尔滨实验室: (0451)58627755	贵阳实验室: (0851)85221000		

检测报告

No. ADE2010200005L

第 1 页，共 5 页

委托单位	安达市源鑫水务有限责任公司		
委托单位地址	哈大齐工业走廊安达启动区		
受测单位	安达市源鑫水务有限责任公司		
受测地址	哈大齐工业走廊安达启动区（地表水厂）		
采样位置	稳压车间水龙头		
样品类别	地表水	检测类别	采样检测
采样日期	2024-03-11	检测日期	2024-03-11~2024-03-20
样品状态	无色/透明液体	检测环境	符合要求
检测项目	见下页		
检测方法	见附表 1		
所用主要仪器	见附表 2		
备注	1、限值标准：GB 3838-2002《地表水环境质量标准》 表 1 地表水环境质量标准基本项目标准限值/III类 表 2 集中式生活饮用水地表水源地补充项目标准限值 2、该报告中检测方法由委托单位指定。 3、数据页中“L”表示低于检出限		
编制人	张溪桐	审核人	巴明伟
批准人	丁思良	签发日期	2024 年 03 月 21 日

检测报告

No. ADE2010200005L

第 2 页, 共 5 页

样品名称和编号	检测项目	单位	限值	检测结果
ADE2010200005L 地表水水源水	水温	°C	—	6.2
	pH 值	无量纲	6~9	7.0
	溶解氧	mg/L	≥5	8.2
	高锰酸盐指数	mg/L	≤6	3.0
	化学需氧量(COD _{Cr})	mg/L	≤20	19
	五日生化需氧量(BOD ₅)	mg/L	≤4	3.9
	氨氮(NH ₃ -N)	mg/L	≤1.0	0.106
	总磷(以 P 计)	mg/L	≤0.2	0.08
	总氮(以 N 计)	mg/L	≤1.0	0.62
	铜	mg/L	≤1.0	0.00122
	锌	mg/L	≤1.0	0.0428
	氟化物(以 F ⁻ 计)	mg/L	≤1.0	0.588
	硒	mg/L	≤0.01	0.0004L
	砷	mg/L	≤0.05	0.0003L
	汞	mg/L	≤0.0001	0.00004L
	镉	mg/L	≤0.005	0.00011
	铬(六价)	mg/L	≤0.05	0.004L
	铅	mg/L	≤0.05	0.00162
	氰化物(以 CN ⁻ 计)	mg/L	≤0.2	0.004L
	挥发酚	mg/L	≤0.005	0.0003L
	石油类	mg/L	≤0.05	0.02
	阴离子表面活性剂	mg/L	≤0.2	0.05L
	硫化物	mg/L	≤0.2	0.01L
	粪大肠菌群	个/L	≤10000	10L
	硫酸盐(以 SO ₄ ²⁻ 计)	mg/L	250	20.8
	氯化物(以 Cl ⁻ 计)	mg/L	250	16.0
	硝酸盐(以 N 计)	mg/L	10	0.094
	铁	mg/L	0.3	0.12
	锰	mg/L	0.1	0.0783
	叶绿素 a	μg/L	—	5

检测报告

No. ADE2010200005L

第 3 页, 共 5 页

附表 1:

检测项目方法仪器一览表

检测项目	分析方法	仪器设备
水温	水质 水温的测定 温度计或颠倒温度计测定法 GB/T 13195-1991	表层温度计
pH 值	水质 pH 值的测定 电极法 HJ 1147-2020	多参数水质测定仪
溶解氧	水质 溶解氧的测定 电化学探头法 HJ 506-2009	多参数水质测定仪
高锰酸盐指数	水质 高锰酸盐指数的测定 GB/T 11892-1989	滴定管
化学需氧量(COD _{Cr})	水质 化学需氧量的测定 重铬酸盐法 HJ 828-2017	滴定管
五日生化需氧量(BOD ₅)	水质 五日生化需氧量(BOD ₅)的测定 稀释与接种法 HJ 505-2009	生化培养箱
氨氮(NH ₃ -N)	水质 氨氮的测定 纳氏试剂分光光度法 HJ 535-2009	紫外可见分光光度计
总磷(以 P 计)	水质 总磷的测定 钼酸铵分光光度法 GB/T 11893-1989	紫外可见分光光度计
总氮(以 N 计)	水质 总氮的测定 碱性过硫酸钾消解紫外分光光度法 HJ 636-2012	紫外可见分光光度计
铜	水质 65 种元素的测定 电感耦合等离子体质谱法 HJ 700-2014	电感耦合等离子体质谱仪
锌	水质 65 种元素的测定 电感耦合等离子体质谱法 HJ 700-2014	电感耦合等离子体质谱仪
氟化物(以 F 计)	水质 无机阴离子(F ⁻ 、Cl ⁻ 、NO ₂ ⁻ 、Br ⁻ 、NO ₃ ⁻ 、PO ₄ ³⁻ 、 SO ₃ ²⁻ 、SO ₄ ²⁻)的测定 离子色谱法 HJ 84-2016	离子色谱仪
硒	水质 汞、砷、硒、铋和锑的测定 原子荧光法 HJ 694-2014	原子荧光光谱仪
砷	水质 汞、砷、硒、铋和锑的测定 原子荧光法 HJ 694-2014	原子荧光光谱仪
汞	水质 汞、砷、硒、铋和锑的测定 原子荧光法 HJ 694-2014	原子荧光光谱仪
镉	水质 65 种元素的测定 电感耦合等离子体质谱法 HJ 700-2014	电感耦合等离子体质谱仪
铬(六价)	水质 六价铬的测定 二苯碳酰二肼分光光度法 GB/T 7467-1987	紫外可见分光光度计
铅	水质 65 种元素的测定 电感耦合等离子体质谱法 HJ 700-2014	电感耦合等离子体质谱仪

检测报告

No. ADE2010200005L

第 4 页, 共 5 页

检测项目	分析方法	仪器设备
氰化物(以 CN ⁻ 计)	水质 氰化物的测定 容量法和分光光度法 HJ 484-2009 方法 2 异烟酸-吡啶啉酮分光光度法	紫外可见分光光度计
挥发酚	水质 挥发酚的测定 4-氨基安替比林分光光度法 HJ 503-2009 方法 1 萃取分光光度法	紫外可见分光光度计
石油类	水质 石油类的测定 紫外分光光度法 (试行) HJ 970-2018	紫外可见分光光度计
阴离子表面活性剂	水质 阴离子表面活性剂的测定 亚甲蓝分光光度法 GB/T 7494-1987	紫外可见分光光度计
硫化物	水质 硫化物的测定 亚甲基蓝分光光度法 HJ 1226-2021	紫外可见分光光度计
粪大肠菌群	水质 粪大肠菌群的测定 滤膜法 HJ 347.1-2018	电热恒温培养箱
硫酸盐(以 SO ₄ ²⁻ 计)	水质 无机阴离子(F ⁻ 、Cl ⁻ 、NO ₂ ⁻ 、Br ⁻ 、NO ₃ ⁻ 、PO ₄ ³⁻ 、 SO ₃ ²⁻ 、SO ₄ ²⁻)的测定 离子色谱法 HJ 84-2016	离子色谱仪
氯化物(以 Cl ⁻ 计)	水质 无机阴离子(F ⁻ 、Cl ⁻ 、NO ₂ ⁻ 、Br ⁻ 、NO ₃ ⁻ 、PO ₄ ³⁻ 、 SO ₃ ²⁻ 、SO ₄ ²⁻)的测定 离子色谱法 HJ 84-2016	离子色谱仪
硝酸盐(以 N 计)	水质 无机阴离子(F ⁻ 、Cl ⁻ 、NO ₂ ⁻ 、Br ⁻ 、NO ₃ ⁻ 、PO ₄ ³⁻ 、 SO ₃ ²⁻ 、SO ₄ ²⁻)的测定 离子色谱法 HJ 84-2016 离子色谱法	离子色谱仪
铁	水质 32 种元素的测定 电感耦合等离子体发射光谱法 HJ 776-2015	电感耦合等离子体发射光谱仪
锰	水质 65 种元素的测定 电感耦合等离子体质谱法 HJ 700-2014	电感耦合等离子体质谱仪
叶绿素 a	水质 叶绿素 a 的测定 分光光度法 HJ 897-2017	紫外可见分光光度计

附表 2:

检测仪器 (名称、型号、公司编号)

设备名称	设备型号	公司编号
滴定管	—	HLIE-243、HLIE-248
生化培养箱	SPX-150B-Z	HLIE-145
离子色谱仪	ICS-2100	HLIE-082
表层温度计	—	WS-264

检测报告

No. ADE2010200005L

第 5 页, 共 5 页

设备名称	设备型号	公司编号
原子荧光光谱仪	SK-2003A	HLIE-136
电热恒温培养箱	BSP-400	HLIE-962
多参数水质测定仪	SX751	HLIE-790
紫外可见分光光度计	UV-1900I	HLIE-907
电感耦合等离子体质谱仪	PE NexION™ 350X	HLIE-197
电感耦合等离子体发射光谱仪	iCAP PROX	HLIE-880

——以下空白——